

The top 5 benefits of optical bonding

If you're looking for digital signage for your business, school or meeting room, you want a high-quality solution with brilliant visuals, easy integration and a long life. But if your visual display will be subject to a demanding environment—an outdoor location, high-ambient light conditions, a high-traffic public space—or will be used in a touch screen interactive application, etc., you need more. Investing in a professional-grade, optically-bonded LCD panel may be your ideal display solution.

With optical bonding, a protective cover glass is directly adhered to the LCD display with a thin, uniform layer of adhesive, effectively eliminating the air gap between the cover glass and display. This process increases optical clarity, protects the display from dust and moisture, reduces parallax issues, improves scratch and damage resistance, and is thin and lightweight.







Top 5 benefits of optically bonded cover glass on LCD displays		
1 Increases optical clarity	2 Protects display from dust and moisture	3 Reduces parallax issues
Optically bonding the cover glass to the display creates a single index of refraction, which eliminates internal reflection	Optically bonding the cover glass to the LCD display protects the display from dust and moisture	Optical bonding reduces parallax issues, where a gap between the cover glass and LCD display can create the illusion that pixels shift position depending on your line of sight
Helps ensure crisp detailed images and high brightness Lowered surface reflection: reduces internally reflected light loss reduces glare increases visual clarity Reduced ambient light reflection: increases perceived contrast ratio increases the amount of usable light Enables display to be more readily seen, even in bright ambient conditions	Protects the display from moisture in humid environments because condensation can't form between the cover glass and the display Protects the display from dust and air particles in environments where air quality is an issue	 Increases the display's range of viewing angles Delivers more precise touch alignment in touch-based interactive systems
4 Scratch and damage resistance	5 Scratch and damage resistance	
Optically bonded cover glass acts as a protective layer for the LCD display	Optically bonded cover glass is thin and lightweight, compared to alternative treatments or standard soda-lime glass	
Protects display from scratches, fluids, stains and dirt	Lightweight cover glass reduces transportation and installation costs	
 Improves durability and damage resistance 	No added depth to display design allows for easy integration	
Reduces or eliminates the need for custom protective enclosures or heavy soda-lime cover glass	A lighter display simplifies installation and servicing	
Withstands use in high-traffic public environments		



Confidently display your message almost anywhere

Christie® has your visual solution, for even challenging or difficult environments.

Check out the Christie FHD551-X: this 55" professional-grade, tiled LCD panel solution includes the superior protection of optically bonded Corning® Gorilla® Glass, for touch screen interactivity in high-traffic areas.

If you need to 'take your message outside', we offer the Christie WeatherAll FHD551-W, our 55" optically bonded outdoor LCD. It's fully weatherproof, water- and impact-resistant, and can be deployed in virtually any environment.

Christie's industry-renowned technical service and customer support help ease your installation, and a comprehensive warranty helps protect your investment.

Corporate offices

Christie Digital Systems USA, Inc. USA – Cypress ph: 714 236 8610

ph: /14 236 8610 Brazil
Christie Digital Systems Canada Inc. ph: +55 (11) 2548 4753 Canada – Kitchener ph: 519 744 8005

Worldwide offices

Australia ph: +61 (0) 7 3624 4888

China (Beijing) ph: +86 10 6561 0240

China (Shanghai) ph: +86 21 6278 7708 India ph: +91 (080) 6708 9999

Eastern Europe and Russian Federation ph: +36 (0) 1 47 48 100

France ph: +33 (0) 1 41 21 44 04

Germany ph: +49 2161 664540

Japan (Tokyo) ph: 81 3 3599 7481

Korea (Seoul) ph: +82 2 702 1601

Republic of South Africa ph: +27 (0)11 510 0094

Singapore ph: +65 6877 8737 ph: +34 91 633 9990 United Arab Emirates ph: +971 4 3206688

United Kingdom ph: +44 (0) 118 977 8000

Independent sales consultant offices

Italy ph: +39 (0) 2 9902 1161





